

# The `aliascnt` package

Heiko Oberdiek\*

2026-03-06 v1.6

## Abstract

Package `aliascnt` introduces *alias counters* that share the same counter register and clear list.

*Starting with L<sup>A</sup>T<sub>E</sub>X 2026-06-01 this package is obsolete as L<sup>A</sup>T<sub>E</sub>X provides a similar functionality directly through the `\newcounteralias` command. This command is used automatically if theorem environments are defined that share a counter.*

## Contents

<b>1</b>	<b>User interface</b>	<b>1</b>
1.1	Introduction	1
1.2	Syntax	2
<b>2</b>	<b>Implementation</b>	<b>2</b>
2.1	Identification	2
2.2	Create new alias counter	3
2.3	Counter clear list	3
<b>3</b>	<b>Installation</b>	<b>4</b>
3.1	Download	4
3.2	Package installation	4
3.3	Refresh file name databases	4
3.4	Some details for the interested	4
<b>4</b>	<b>Acknowledgement</b>	<b>5</b>
<b>5</b>	<b>References</b>	<b>5</b>
<b>6</b>	<b>History</b>	<b>5</b>
	[2006/02/20 v1.0]	5
	[2006/08/16 v1.1]	5
	[2006/09/25 v1.2]	5
	[2009/09/08 v1.3]	5
	[2016/05/16 v1.4]	5
	[2018/09/07 v1.5]	5
	[2026-03-06 v1.6]	6
<b>7</b>	<b>Index</b>	<b>7</b>

---

\*Please report any issues at <https://github.com/ho-tex/aliascnt/issues>

# 1 User interface

## 1.1 Introduction

There are features that rely on the name of counters. For example, `hyperref`'s `\autoref` indirectly uses the counter name to determine which label text it puts in front of the reference number ([3]). In some circumstances this fail: several theorem environments are defined by `\newtheorem` that share the same counter.

## 1.2 Syntax

Macro names in user land contain the package name `aliascnt` in order to prevent name clashes.

```
\newaliascnt{<ALIASCNT>}{<BASECNT>}
```

An alias counter `ALIASCNT` is created that does not allocate a new `TeX` counter register. It shares the count register and the clear list with counter `BASECNT`. If the value of either the two registers is changed, the changes affects both.

In `LATEX 2026-06-01` a similar alias counter can be created with `\newcounteralias{<aliasctr>}{<rootctr>}`

```
\aliascntresetthe{<ALIASCNT>}
```

This fixes a problem with `\newtheorem` if it is fooled by an alias counter with the same name:

```
\newtheorem{foo}{Foo}% counter "foo"
\newaliascnt{bar}{foo}% alias counter "bar"
\newtheorem{bar}[bar]{Bar}
\aliascntresetthe{bar}
```

*In `LATEX 2026-06-01` this is no longer needed and the standard definitions will work:*

```
\newtheorem{foo}{Foo}% counter "foo"
\newtheorem{bar}[foo]{Bar} %creates alias counter "bar"
```

# 2 Implementation

## 2.1 Identification

```
1 (*package)
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{aliascnt}%
4 [2026-03-06 v1.6 Alias counters (HO)]%
```

Warning and fallback for `LATEX 2026-06-01`, see issue <https://github.com/hotex/oberdiek/issues/104>.

```
5 \IfFormatAtLeastT{2026-06-01}{%
6   \PackageWarning{aliascnt}
7
8   {The package is obsolete. Check the documentation.}
9   \renewcommand*{\newcounteralias}[2]{%
10    \@ifundefined{c@#2}{%
11      \nocounterr{#2}%
12    }{
13      \@ifundefined{c@#1}
14        {%
15          \global\expandafter\let
16          \csname c@#1\expandafter\endcsname\csname c@#2\endcsname
17          \expandafter\edef\csname the#1\endcsname{\expandafter\noexpand\csname the#2\endcsname}
18          \expandafter\edef\csname theH#1\endcsname{\expandafter\noexpand\csname theH#2\endcsname}
19          \expandafter\edef\csname p@#1\endcsname{\expandafter\noexpand\csname p@#2\endcsname}%

```

```

20     \expandafter\edef\csname cl@#1\endcsname{\expandafter\noexpand\csname cl@#2\endcsname}
21     \expandafter\def\csname alias@ctr@#1\endcsname{#2}%
22     }%
23     {\@ifundefined{AC@cnt@#1}
24      {\def\reserved@a{c@#1}\@notdefinable}%
25      {\expandafter\edef\csname alias@ctr@#1\endcsname{\csname AC@cnt@#1\endcsname}}}
26     }%
27 }}

```

## 2.2 Create new alias counter

`\newaliascnt` A new alias counter is set up by `\newaliascnt`. The following properties are added for the new counter *CNT*:

`\theH<CNT>`: Compatibility for hyperref

`\AC@cnt@<CNT>`: Name of the referenced counter in the definition.

```

28 \newcommand*{\newaliascnt}[2]{%
29   \begingroup
30   \def\AC@glet##1{%
31     \global\expandafter\let\csname##1#1\expandafter\endcsname
32     \csname##1#2\endcsname
33   }%
34   \@ifundefined{c@#2}{%
35     \@nocounterr{#2}%
36   }{%
37     \expandafter\@ifdefinable\csname c@#1\endcsname{%
38       \AC@glet{c@}%
39       \AC@glet{the}%
40       \AC@glet{theH}%
41       \AC@glet{p@}%
42       \expandafter\gdef\csname AC@cnt@#1\endcsname{#2}%
43       \expandafter\gdef\csname cl@#1\expandafter\endcsname
44       \expandafter{\csname cl@#2\endcsname}%
45     }%
46   }%
47   \endgroup
48 }

```

`\aliascntresetthe` The `\the<CNT>` macro is restored using the main counter.

```

49 \newcommand*{\aliascntresetthe}[1]{%
50   \@ifundefined{AC@cnt@#1}{%
51     \PackageError{aliascnt}{%
52       '#1' is not an alias counter%
53     }\@ehc
54   }{%
55     \expandafter\let\csname the#1\expandafter\endcsname
56     \csname the\csname AC@cnt@#1\endcsname\endcsname
57   }%
58 }

```

## 2.3 Counter clear list

The alias counters share the same register and clear list. Therefore we must ensure that manipulations to the clear list are done with the clear list macro of a real counter.

`\AC@findrootcnt` `\AC@findrootcnt` walks through the aliasing relations to find the base counter.

```

59 \newcommand*{\AC@findrootcnt}[1]{%
60   \@ifundefined{AC@cnt@#1}{%
61     #1%
62   }{%
63     \expandafter\AC@findrootcnt\csname AC@cnt@#1\endcsname

```

```
64 }%
65 }
```

Clear lists are manipulated by `\@addtoreset` and `\@removefromreset`. The latter one is provided by the `remreset` package ([2] for old latex formats).

`\AC@patch` The same patch principle is applicable to both `\@addtoreset` and `\@removefromreset`.

```
66 \def\AC@patch#1{%
67   \expandafter\let\csname AC@org@#1reset\expandafter\endcsname
68   \csname @#1reset\endcsname
69   \expandafter\def\csname @#1reset\endcsname##1##2{%
70     \csname AC@org@#1reset\endcsname{##1}{\AC@findrootcnt{##2}}%
71   }%
72 }
```

If `remreset` is not loaded we cannot delay the patch to `\AtBeginDocument`, because `\@removefromreset` can be called in between. Therefore we force the loading of the package.

```
73 \ifx\@removefromreset\undefined
74   \RequirePackage{remreset}
75 \fi
76 \AC@patch{addto}
77 \AC@patch{removefrom}
78 \</package>
```

## 3 Installation

### 3.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/aliascnt/aliascnt.dtx](#) The source file.

[CTAN:macros/latex/contrib/aliascnt/aliascnt.pdf](#) Documentation.

### 3.2 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain `TEX`:

```
tex aliascnt.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
aliascnt.sty → tex/latex/aliascnt/aliascnt.sty
aliascnt.pdf → doc/latex/aliascnt/aliascnt.pdf
aliascnt.dtx → source/latex/aliascnt/aliascnt.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

### 3.3 Refresh file name databases

If your `TEX` distribution (`TEX Live`, `MiKTEX`, ...) relies on file name databases, you must refresh these. For example, `TEX Live` users run `texhash` or `mktexlsr`.

---

<sup>1</sup>[CTAN:pkg/aliascnt](#)

### 3.4 Some details for the interested

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the `autodetect` routine about your intention:

```
latex \let\install=y\input{aliascnt.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex aliascnt.dtx
makeindex -s gind.ist aliascnt.idx
pdflatex aliascnt.dtx
makeindex -s gind.ist aliascnt.idx
pdflatex aliascnt.dtx
```

## 4 Acknowledgement

**Ulrich Schwarz:** The package is based on his draft for “Die T<sub>E</sub>Xnische Komödie”, see [1].

## 5 References

- [1] Ulrich Schwarz: *Was hinten heraukommt zählt: Counter Aliasing in L<sup>A</sup>T<sub>E</sub>X, Die T<sub>E</sub>Xnische Komödie*, 3/2006, pages 8–14, Juli 2006.
- [2] David Carlisle: *The remreset package*; 1997/09/28; [CTAN:pkg/remreset](#).
- [3] Sebastian Rahtz, Heiko Oberdiek: *The hyperref package*; 2006/08/16 v6.75c; [CTAN:pkg/hyperref](#).

## 6 History

[2006/02/20 v1.0]

- First version.

[2006/08/16 v1.1]

- Update of bibliography.

[2006/09/25 v1.2]

- Bug fix (`\aliascntresetthe`).

[2009/09/08 v1.3]

- Bug fix of `\@ifdefinable`’s use (thanks to Uwe Lück).

[2016/05/16 v1.4]

- Documentation updates.

[2018/09/07 v1.5]

- Avoid loading obsolete remreset package..

[2026-03-06 v1.6]

- Extracted from the oberdiek bundle and moved into its own repository.  
Added fallback definition for L<sup>A</sup>T<sub>E</sub>X 2026-06-01  
(<https://github.com/ho-tex/oberdiek/issues/104>).

## 7 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols		G	
<code>\@ehc</code> .....	53	<code>\gdef</code> .....	42, 43
<code>\@ifdefinable</code> .....	37	I	
<code>\@ifundefined</code> ...	10, 13, 23, 34, 50, 60	<code>\IfFormatAtLeastT</code> .....	5
<code>\@nocounterr</code> .....	11, 35	<code>\ifx</code> .....	73
<code>\@notdefinable</code> .....	24	N	
<code>\@removefromreset</code> .....	73	<code>\NeedsTeXFormat</code> .....	2
<code>\@undefined</code> .....	73	<code>\newaliascnt</code> .....	2, <u>28</u>
A		<code>\newcommand</code> .....	28, 49, 59
<code>\AC@findrootcnt</code> .....	59, 70	<code>\newcounteralias</code> .....	9
<code>\AC@glet</code> .....	30, 38, 39, 40, 41	P	
<code>\AC@patch</code> .....	66, 76, 77	<code>\PackageError</code> .....	51
<code>\aliascntresetthe</code> .....	2, <u>49</u>	<code>\PackageWarning</code> .....	6
C		<code>\ProvidesPackage</code> .....	3
<code>\csname</code> .....	16, 17, 18, 19, 20, 21, 25, 31, 32, 37, 42, 43, 44, 55, 56, 63, 67, 68, 69, 70	R	
E		<code>\renewcommand</code> .....	9
<code>\endcsname</code> .....	16, 17, 18, 19, 20, 21, 25, 31, 32, 37, 42, 43, 44, 55, 56, 63, 67, 68, 69, 70	<code>\RequirePackage</code> .....	74
		<code>\reserved@a</code> .....	24